This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Air freshener

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

DRAMERS S.A.

Rabowice ul. Olszynowa 38

62-020 Swarzedz - Wielkopolskie - Poland

Phone: +48 61 624 55 00 - Fax: +48 61 623 18 32

msds@dramers.com.pl www.dramers.com.pl

1.4 Emergency telephone number: +48 61 62 45 500 (8.00-16.00)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aerosol 1: Pressurised container: May burst if heated., H229

Aerosol 1: Flammable aerosols, Category 1, H222

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Aerosol 1: H229 - Pressurised container: May burst if heated.

Aerosol 1: H222 - Extremely flammable aerosol.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F

Supplementary information:

EUH208: Contains Formaldehyde Cyclodecyl Ethyl Acetal, Cedrol Methyl Ether, Tetramethyl Acetyloctahydronaphthalenes, Ethyl Linalool, Linalool, Acetylcedrene, 4-Tert-Butylcyclohexyl Acetate, Linalyl Acetate, Methylenedioxyphenyl Methylpropanal. May produce an allergic reaction.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 1/16

^{**} Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Chemical description: Aerosol

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification		Chemical name/Classification		Concentration
CAS: 106-97-8 EC: 203-448-7 ndex: 601-004-00-0	Butane ⁽¹⁾ Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	ATP CLP00	25 - <50 %
REACH: 01-2119474691-32- XXXX	ethanol ⁽²⁾		Self-classified	
CAS: 64-17-5 EC: 200-578-6		Evalurit 2: H210: Flam Lig 2: H22F Danger	Seti-classified	10 -25 0/
ndex: 603-002-00-5 REACH: 01-2119457610-43- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger	(1) (b)	10 - <25 %
CAS: 74-98-6	Propane ⁽¹⁾		ATP CLP00	
EC: 200-827-9 ndex: 601-003-00-5 REACH: 01-2119486944-21- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	⋄ �	10 - <25 %
CAS: 54464-57-2	1-(1,2,3,4,5,6,7,8-octahyo	dro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (Tetramethyl Acetyloctahydror	naphthalenes) ⁽²⁾	Self-classifie
EC: 259-174-3 Index: Non-applicable REACH: Non-applicable	Regulation 1272/2008	Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	(1)	0,5 - <1 %
CAS: 10339-55-6	3,7-dimethylnona-1,6-d	dien-3-ol (Ethyl Linalool) ⁽²⁾	Self-classified	
EC: 233-732-6 ndex: Non-applicable REACH: 01-2119969272-32- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	()	0,1 - <0,5 %
CAS: 115-95-7	Linalyl acetate (2)		Self-classified	
EC: 204-116-4 ndex: Non-applicable REACH: 01-2119454789-19- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	()	0,1 - <0,5 %
CAS: 65405-77-8	(Z)-3-hexenyl salicylate	e ⁽²⁾	Self-classified	
EC: 265-745-8 ndex: Non-applicable REACH: 01-2119987320-37- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	•	0,1 - <0,5 %
CAS: 32388-55-9	Cedryl methyl ketone ((Acetylcedrene) ⁽²⁾	Self-classified	
EC: 251-020-3 ndex: Non-applicable REACH: 01-2119969651-28- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1B: H317 - Warning	(1) (6)	0,1 - <0,5 %
CAS: 1205-17-0	a-methyl-1,3-benzodio	xole-5-propionaldehyde (Methylenedioxyphenyl Methylpropanal) ⁽²⁾	Self-classified	
EC: 214-881-6 ndex: Non-applicable REACH: 01-2120740119-58- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Repr. 2: H361; Skin Sens. 1B: H317 - Warning	♦	0,1 - <0,5 %
CAS: 19870-74-7	[3r-(3a,3aß,6ß,7ß,8aa)]-o	ctahydro-6-methoxy-3,6,8,8-tetramethyl-1h-3a,7-methanoazulene (Cedrol Met	hyl Ether) ⁽²⁾	Self-classified
EC: 243-384-7 Index: Non-applicable REACH: Non-applicable	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1B: H317 - Warning	()	0,1 - <0,5 %
CAS: 58567-11-6	(ethoxymethoxy)cyclo	dodecane (Formaldehyde Cyclodecyl Ethyl Acetal) ⁽²⁾	Self-classified	
EC: 261-332-1 ndex: Non-applicable REACH: 01-2119971571-34- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	(1) (6)	0,1 - <0,5 %
CAS: 32210-23-4	4-tert-butylcyclohexyl	acetate ⁽²⁾	Self-classified	
EC: 250-954-9 ndex: Non-applicable REACH: 01-2119976286-24- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	(1) (1)	0,1 - <0,5 %
CAS: 1222-05-5	1,3,4,6,7,8-hexahydro-4	4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran ⁽²⁾	ATP ATP01	
EC: 214-946-9 ndex: 603-212-00-7 REACH: 01-2119488227-29- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	•	0,1 - <0,5 %
	Linalool ⁽²⁾		Self-classified	
CAS: 78-70-6	Liliatoot		Seti-Classified	

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 2/16

⁽¹⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878 (2) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

^{**} Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Other information:

Identification		M-factor
(Z)-3-hexenyl salicylate	Acute	1
CAS: 65405-77-8 EC: 265-745-8	Chronic	1

Identification	Specific concentration limit
ethanol	% (w/w) >=50: Eye Irrit. 2 - H319
CAS: 64-17-5	
EC: 200-578-6	

^{**} Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eve contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO₂).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A .- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 25 °C

Maximum time: 48 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 4/16

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short e	xposure	Long e	exposure
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	950 mg/m ³	Non-applicable
3,7-dimethylnona-1,6-dien-3-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 10339-55-6	Dermal	5,5 mg/kg	Non-applicable	2,7 mg/kg	Non-applicable
EC: 233-732-6	Inhalation	18 mg/m³	Non-applicable	3 mg/m ³	Non-applicable
Linalyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	2,75 mg/m ³	Non-applicable
(Z)-3-hexenyl salicylate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 65405-77-8	Dermal	Non-applicable	Non-applicable	0,9 mg/kg	Non-applicable
EC: 265-745-8	Inhalation	Non-applicable	Non-applicable	1,59 mg/m ³	Non-applicable
Cedryl methyl ketone	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 32388-55-9	Dermal	Non-applicable	Non-applicable	0,333 mg/kg	Non-applicable
EC: 251-020-3	Inhalation	Non-applicable	Non-applicable	1,17 mg/m ³	Non-applicable
a-methyl-1,3-benzodioxole-5-propionaldehyde	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1205-17-0	Dermal	Non-applicable	Non-applicable	0,17 mg/kg	Non-applicable
EC: 214-881-6	Inhalation	Non-applicable	Non-applicable	1,2 mg/m³	Non-applicable
(ethoxymethoxy)cyclododecane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 58567-11-6	Dermal	Non-applicable	Non-applicable	3,3 mg/kg	Non-applicable
EC: 261-332-1	Inhalation	Non-applicable	Non-applicable	23,5 mg/m ³	Non-applicable
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1222-05-5	Dermal	Non-applicable	Non-applicable	36,7 mg/kg	Non-applicable
EC: 214-946-9	Inhalation	Non-applicable	Non-applicable	13,5 mg/m ³	Non-applicable
Linalool	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-70-6	Dermal	Non-applicable	Non-applicable	3,5 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	Non-applicable	Non-applicable	24,58 mg/m ³	Non-applicable

DNEL (General population):

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	87 mg/kg	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	206 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	114 mg/m ³	Non-applicable
3,7-dimethylnona-1,6-dien-3-ol	Oral	1,3 mg/kg	Non-applicable	0,2 mg/kg	Non-applicable
CAS: 10339-55-6	Dermal	2,7 mg/kg	Non-applicable	1,4 mg/kg	Non-applicable
EC: 233-732-6	Inhalation	4,4 mg/m ³	Non-applicable	0,74 mg/m ³	Non-applicable
Linalyl acetate	Oral	Non-applicable	Non-applicable	0,2 mg/kg	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	0,68 mg/m ³	Non-applicable
(Z)-3-hexenyl salicylate	Oral	Non-applicable	Non-applicable	0,23 mg/kg	Non-applicable
CAS: 65405-77-8	Dermal	Non-applicable	Non-applicable	0,45 mg/kg	Non-applicable
EC: 265-745-8	Inhalation	Non-applicable	Non-applicable	0,39 mg/m ³	Non-applicable
Cedryl methyl ketone	Oral	Non-applicable	Non-applicable	0,167 mg/kg	Non-applicable
CAS: 32388-55-9	Dermal	Non-applicable	Non-applicable	0,167 mg/kg	Non-applicable
EC: 251-020-3	Inhalation	Non-applicable	Non-applicable	0,29 mg/m ³	Non-applicable
a-methyl-1,3-benzodioxole-5-propionaldehyde	Oral	Non-applicable	Non-applicable	0,17 mg/kg	Non-applicable
CAS: 1205-17-0	Dermal	Non-applicable	Non-applicable	0,083 mg/kg	Non-applicable
EC: 214-881-6	Inhalation	Non-applicable	Non-applicable	0,29 mg/m ³	Non-applicable
(ethoxymethoxy)cyclododecane	Oral	Non-applicable	Non-applicable	1,67 mg/kg	Non-applicable
CAS: 58567-11-6	Dermal	Non-applicable	Non-applicable	1,67 mg/kg	Non-applicable
EC: 261-332-1	Inhalation	Non-applicable	Non-applicable	5,8 mg/m ³	Non-applicable

Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 5/16

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

			xposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral	Non-applicable	Non-applicable	2,3 mg/kg	Non-applicable
CAS: 1222-05-5	Dermal	Non-applicable	Non-applicable	22 mg/kg	Non-applicable
EC: 214-946-9	Inhalation	Non-applicable	Non-applicable	4 mg/m ³	Non-applicable
Linalool	Oral	Non-applicable	Non-applicable	2,49 mg/kg	Non-applicable
CAS: 78-70-6	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	Non-applicable	Non-applicable	4,33 mg/m ³	Non-applicable

PNEC:

Identification				
ethanol	STP	580 mg/L	Fresh water	0,96 mg/L
CAS: 64-17-5	Soil	0,63 mg/kg	Marine water	0,79 mg/L
EC: 200-578-6	Intermittent	2,75 mg/L	Sediment (Fresh water)	3,6 mg/kg
	Oral	0,38 g/kg	Sediment (Marine water)	2,9 mg/kg
3,7-dimethylnona-1,6-dien-3-ol	STP	10 mg/L	Fresh water	0,023 mg/L
CAS: 10339-55-6	Soil	0,031 mg/kg	Marine water	0,002 mg/L
EC: 233-732-6	Intermittent	0,23 mg/L	Sediment (Fresh water)	0,223 mg/kg
	Oral	0,00853 g/kg	Sediment (Marine water)	0,022 mg/kg
Linalyl acetate	STP	1 mg/L	Fresh water	0,011 mg/L
CAS: 115-95-7	Soil	0,115 mg/kg	Marine water	0,001 mg/L
EC: 204-116-4	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,061 mg/kg
(Z)-3-hexenyl salicylate	STP	10 mg/L	Fresh water	0,00061 mg/L
CAS: 65405-77-8	Soil	0,022 mg/kg	Marine water	0,000061 mg/L
EC: 265-745-8	Intermittent	0,0061 mg/L	Sediment (Fresh water)	0,11 mg/kg
	Oral	0,04 g/kg	Sediment (Marine water)	0,011 mg/kg
Cedryl methyl ketone	STP	10 mg/L	Fresh water	0,00174 mg/L
CAS: 32388-55-9	Soil	4,87 mg/kg	Marine water	0,000174 mg/L
EC: 251-020-3	Intermittent	0,0086 mg/L	Sediment (Fresh water)	24,4 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	2,44 mg/kg
a-methyl-1,3-benzodioxole-5-propionaldehyde	STP	10 mg/L	Fresh water	0,005 mg/L
CAS: 1205-17-0	Soil	0,008 mg/kg	Marine water	0,001 mg/L
EC: 214-881-6	Intermittent	0,053 mg/L	Sediment (Fresh water)	0,057 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,006 mg/kg
(ethoxymethoxy)cyclododecane	STP	100 mg/L	Fresh water	0,002 mg/L
CAS: 58567-11-6	Soil	0,468 mg/kg	Marine water	0 mg/L
EC: 261-332-1	Intermittent	0,016 mg/L	Sediment (Fresh water)	2,35 mg/kg
	Oral	0,0333 g/kg	Sediment (Marine water)	0,235 mg/kg
4-tert-butylcyclohexyl acetate	STP	12,2 mg/L	Fresh water	0,0053 mg/L
CAS: 32210-23-4	Soil	0,42 mg/kg	Marine water	0,00053 mg/L
EC: 250-954-9	Intermittent	0,053 mg/L	Sediment (Fresh water)	2,01 mg/kg
	Oral	0,06667 g/kg	Sediment (Marine water)	0,21 mg/kg
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	STP	1 mg/L	Fresh water	0,0068 mg/L
CAS: 1222-05-5	Soil	1,5 mg/kg	Marine water	0,00044 mg/L
EC: 214-946-9	Intermittent	Non-applicable	Sediment (Fresh water)	2 mg/kg
	Oral	20,4 g/kg	Sediment (Marine water)	0,394 mg/kg
Linalool	STP	10 mg/L	Fresh water	0,2 mg/L
CAS: 78-70-6	Soil	0,327 mg/kg	Marine water	0,02 mg/L
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 6/16

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 96,52 % weight V.O.C. density at 20 °C: Non-applicable

Average carbon number: 2,13

Average molecular weight: 47,73 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

*Not relevant due to the nature of the product, not providing information property of its hazards.

Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 7/16

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

For complete information see the product of	datachaat
Appearance:	addasileet.
Physical state at 20 °C:	Aerosol
Appearance:	Not available
Colour:	Not available
Odour:	Not available
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	-1 °C (Propellant)
Vapour pressure at 20 °C:	Non-applicable *
Vapour pressure at 50 °C:	<300000 Pa (300 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	Non-applicable *
Relative density at 20 °C:	Non-applicable *
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Recipient pressure:	Non-applicable *
Flammability:	
Flash Point:	Non-applicable
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	365 °C (Propellant)
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
Particle characteristics:	
Median equivalent diameter:	Non-applicable
Other information:	
Information with regard to physical haza	
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Corrosive to metals:	Non-applicable *
Heat of combustion:	37,63 kJ/g
Aerosols-total percentage (by mass) of flan components: Other safety characteristics:	nmable Non-applicable *
Other safety characteristics: Surface tension at 20 °C:	Non applicable *
Surface tension at 20 °C.	Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 8/16

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Refraction index:

Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: ethanol (1); 2,2',2''-nitrilotriethanol (3); d-limonene (3); 2,6-di-tert-butyl-p-cresol (3); Coumarin (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- CONTINUED ON NEXT PAGE -

Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 9/16

^{**} Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
ethanol	LD50 oral	6200 mg/kg	Rat
CAS: 64-17-5	LD50 dermal	20000 mg/kg	Rabbit
EC: 200-578-6	LC50 inhalation	124,7 mg/L (4 h)	Rat
Butane	LD50 oral	>2000 mg/kg	
CAS: 106-97-8	LD50 dermal	>2000 mg/kg	
EC: 203-448-7	LC50 inhalation	658 mg/L (4 h)	Rat
Propane	LD50 oral	>2000 mg/kg	
CAS: 74-98-6	LD50 dermal	>2000 mg/kg	
EC: 200-827-9	LC50 inhalation	>5 mg/L	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LD50 oral	>2000 mg/kg	
CAS: 54464-57-2	LD50 dermal	>2000 mg/kg	
EC: 259-174-3	LC50 inhalation	>20 mg/L	
3,7-dimethylnona-1,6-dien-3-ol	LD50 oral	5283 mg/kg	Mouse
CAS: 10339-55-6	LD50 dermal	>5000 mg/kg	Rabbit
EC: 233-732-6	LC50 inhalation	>20 mg/L	
Linalyl acetate	LD50 oral	14500 mg/kg	Rat
CAS: 115-95-7	LD50 dermal	5610 mg/kg	Rabbit
EC: 204-116-4	LC50 inhalation	>20 mg/L	
(Z)-3-hexenyl salicylate	LD50 oral	3339 mg/kg	Rat
CAS: 65405-77-8	LD50 dermal	>2000 mg/kg	
EC: 265-745-8	LC50 inhalation	>20 mg/L	
Cedryl methyl ketone	LD50 oral	>2000 mg/kg	
CAS: 32388-55-9	LD50 dermal	>2000 mg/kg	
EC: 251-020-3	LC50 inhalation	>20 mg/L	
a-methyl-1,3-benzodioxole-5-propionaldehyde	LD50 oral	3550 mg/kg	Rat
CAS: 1205-17-0	LD50 dermal	>2000 mg/kg	
EC: 214-881-6	LC50 inhalation	>20 mg/L	
$\hbox{[3r-(3a,3aß,6ß,7ß,8aa)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1h-3a,7-methanoazulene}$	LD50 oral	>2000 mg/kg	
CAS: 19870-74-7	LD50 dermal	>2000 mg/kg	
EC: 243-384-7	LC50 inhalation	>20 mg/L	

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 10/16

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

Identification	A	Acute toxicity	
(ethoxymethoxy)cyclododecane	LD50 oral	>2000 mg/kg	
CAS: 58567-11-6	LD50 dermal	>2000 mg/kg	
EC: 261-332-1	LC50 inhalation	>20 mg/L	
4-tert-butylcyclohexyl acetate	LD50 oral	3370 mg/kg	
CAS: 32210-23-4	LD50 dermal	>2000 mg/kg	
EC: 250-954-9	LC50 inhalation	>20 mg/L	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	LD50 oral	>2000 mg/kg	
CAS: 1222-05-5	LD50 dermal	>2000 mg/kg	
EC: 214-946-9	LC50 inhalation	>20 mg/L	
Linalool	LD50 oral	3000 mg/kg	Rat
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rabbit
EC: 201-134-4	LC50 inhalation	>20 mg/L	

Acute Toxicity Estimate (ATE mix):

	Ingredient(s) of unknown toxicity	
Oral	>2000 mg/kg (Calculation method)	Non-applicable
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information
Non-applicable

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-578-6	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae
$1\hbox{-}(1,2,3,4,5,6,7,8\hbox{-}octahydro\hbox{-}2,3,8,8\hbox{-}tetramethyl\hbox{-}2\hbox{-}naphthyl)ethan-1\hbox{-}one$	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 54464-57-2	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 259-174-3	EC50	>0.1 - 1 mg/L (72 h)		Algae
(Z)-3-hexenyl salicylate	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 65405-77-8	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 265-745-8	EC50	>0.1 - 1 mg/L (72 h)		Algae
Cedryl methyl ketone	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 32388-55-9	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 251-020-3	EC50	>0.1 - 1 mg/L (72 h)		Algae
a-methyl-1,3-benzodioxole-5-propionaldehyde	LC50	5,3 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 1205-17-0	EC50	8 mg/L (48 h)	Daphnia magna	Crustacean
EC: 214-881-6	EC50	28 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
[3r-(3a,3aß,6ß,7ß,8aa)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1h-3a,7-methanoazulene	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 19870-74-7	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 243-384-7	EC50	>0.1 - 1 mg/L (72 h)		Algae

^{**} Changes with regards to the previous version

Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 11/16

^{**} Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification		Concentration	Species	Genus
(ethoxymethoxy)cyclododecane	LC50	1,9 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 58567-11-6	EC50	1,6 mg/L (48 h)	Daphnia magna	Crustacean
EC: 261-332-1	EC50	53 mg/L (96 h)	Scenedesmus subspicatus	Algae
4-tert-butylcyclohexyl acetate	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 32210-23-4	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 250-954-9	EC50	>1 - 10 mg/L (72 h)		Algae
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	LC50	0,95 mg/L (96 h)	Oryzias latipes	Fish
CAS: 1222-05-5	EC50	0,194 mg/L (48 h)	Daphnia magna	Crustacean
EC: 214-946-9	EC50	0,723 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae

Chronic toxicity:

Identification		Concentration	Species	Genus
ethanol	NOEC	250 mg/L	Danio rerio	Fish
CAS: 64-17-5 EC: 200-578-6	NOEC	2 mg/L	Ceriodaphnia dubia	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegi	adability
ethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 64-17-5	COD	Non-applicable	Period	14 days
EC: 200-578-6	BOD5/COD	Non-applicable	% Biodegradable	89 %
3,7-dimethylnona-1,6-dien-3-ol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 10339-55-6	COD	Non-applicable	Period	28 days
EC: 233-732-6	BOD5/COD	Non-applicable	% Biodegradable	91 %
Linalyl acetate	BOD5	Non-applicable	Concentration	81 mg/L
CAS: 115-95-7	COD	Non-applicable	Period	28 days
EC: 204-116-4	BOD5/COD	Non-applicable	% Biodegradable	80 %
(Z)-3-hexenyl salicylate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 65405-77-8	COD	Non-applicable	Period	28 days
EC: 265-745-8	BOD5/COD	Non-applicable	% Biodegradable	89 %
a-methyl-1,3-benzodioxole-5-propionaldehyde	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 1205-17-0	COD	Non-applicable	Period	28 days
EC: 214-881-6	BOD5/COD	Non-applicable	% Biodegradable	65 %
(ethoxymethoxy)cyclododecane	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 58567-11-6	COD	Non-applicable	Period	28 days
EC: 261-332-1	BOD5/COD	Non-applicable	% Biodegradable	5 %
Linalool	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 78-70-6	COD	Non-applicable	Period	28 days
EC: 201-134-4	BOD5/COD	Non-applicable	% Biodegradable	90 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification Bioaccumulation potential		
Butane	BCF	33
CAS: 106-97-8	Pow Log	2.89
EC: 203-448-7	Potential	Moderate
ethanol	BCF	3
CAS: 64-17-5	Pow Log	-0.31
EC: 200-578-6	Potential	Low
Propane	BCF	13
CAS: 74-98-6	Pow Log	2.86
EC: 200-827-9	Potential	Low

^{**} Changes with regards to the previous version

Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 12/16

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification	Bioaccumulation potential		
Linalyl acetate	BCF	174	
CAS: 115-95-7	Pow Log	3.9	
EC: 204-116-4	Potential	High	
a-methyl-1,3-benzodioxole-5-propionaldehyde	BCF		
CAS: 1205-17-0	Pow Log	2.4	
EC: 214-881-6	Potential		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	BCF	1584	
CAS: 1222-05-5	Pow Log	5.9	
EC: 214-946-9	Potential	Very High	
Linalool	BCF		
CAS: 78-70-6	Pow Log	2.97	
EC: 201-134-4	Potential		

12.4 Mobility in soil:

Identification	Absorp	otion/desorption	Vola	ntility
Butane	Koc	900	Henry	96258,75 Pa·m³/mol
CAS: 106-97-8	Conclusion	Low	Dry soil	Yes
EC: 203-448-7	Surface tension	1,187E-2 N/m (25 °C)	Moist soil	Yes
ethanol	Кос	1	Henry	4,61E-1 Pa·m³/mol
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes
EC: 200-578-6	Surface tension	2,339E-2 N/m (25 °C)	Moist soil	Yes
Propane	Koc	460	Henry	71636,78 Pa·m³/mol
CAS: 74-98-6	Conclusion	Moderate	Dry soil	Yes
EC: 200-827-9	Surface tension	7,02E-3 N/m (25 °C)	Moist soil	Yes
Linalyl acetate	Кос	518	Henry	177 Pa·m³/mol
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes
EC: 204-116-4	Surface tension	Non-applicable	Moist soil	Yes
a-methyl-1,3-benzodioxole-5-propionaldehyde	Koc	71	Henry	Non-applicable
CAS: 1205-17-0	Conclusion	Very High	Dry soil	Non-applicable
EC: 214-881-6	Surface tension	Non-applicable	Moist soil	Non-applicable
(ethoxymethoxy)cyclododecane	Koc	14600	Henry	Non-applicable
CAS: 58567-11-6	Conclusion	Immobile	Dry soil	Non-applicable
EC: 261-332-1	Surface tension	Non-applicable	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
16 05 04*	gases in pressure containers (including halons) containing hazardous substances	Dangerous	

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP3 Flammable, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

^{**} Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



14.1UN number or ID number:UN195014.2UN proper shipping name:AEROSOLS14.3Transport hazard class(es):2

Labels: 2.1

14.4 Packing group: N/A

14.5 Environmental hazards: No

14.6 Special precautions for user

Special regulations: 190, 327, 344, 625

Tunnel restriction code: D

Physico-Chemical properties: see section 9

Limited quantities: 1 L

.7 Maritime transport in bulk according to IMO instruments:

Transport of dangerous goods by sea:

With regard to IMDG 40-20:



14.1 UN number or ID number: UN195014.2 UN proper shipping name: AEROSOLS

14.3Transport hazard class(es):2Labels:2.114.4Packing group:N/A14.5Marine pollutant:No

14.6 Special precautions for user

Special regulations: 63, 959, 190, 277, 327, 344

EmS Codes: F-D, S-U
Physico-Chemical properties: see section 9

Limited quantities: 1 L

Segregation group: Non-applicable

14.7 Maritime transport in bulk according to IMO instruments:

Transport of dangerous goods by air:

14.7

With regard to IATA/ICAO 2022:



14.1 UN number or ID number: UN195014.2 UN proper shipping name: AEROSOLS

 14.3
 Transport hazard class(es):
 2

 Labels:
 2.1

 14.4
 Packing group:
 N/A

 14.5
 Environmental hazards:
 No

14.6 Special precautions for user

Physico-Chemical properties: see section 9

Maritime transport in bulk according to IMO instruments:

- CONTINUED ON NEXT PAGE -

Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 14/16

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: ethanol (Product-type 1, 2, 4)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P3a	FLAMMABLE AEROSOLS	150	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- -tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

Council Directive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers Commission Directive 94/1/EC of 6 January 1994 adapting some technicalities of Council Directive 75/324/EEC on the approximation of the laws of the relating Member States to aerosol dispensers

Commission Directive 2008/47/EC of 8 April 2008 amending, for the purposes of adapting to technical progress, Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 2013/10/EU of 19 March 2013 amending Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers in order to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

COMMISSION DIRECTIVE (EU) 2016/2037 of 21 November 2016 amending Council Directive 75/324/EEC as regards the maximum allowable pressure of aerosol dispensers and to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

· New declared substances

Linalvl acetate (115-95-7)

3,7-dimethylnona-1,6-dien-3-ol (10339-55-6)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- · Substances contained in EUH208:
 - · New declared substances

Linalyl acetate (115-95-7)

3,7-dimethylnona-1,6-dien-3-ol (10339-55-6)

Texts of the legislative phrases mentioned in section 2:

- H412: Harmful to aquatic life with long lasting effects.
- H229: Pressurised container: May burst if heated.

H222: Extremely flammable aerosol.

Texts of the legislative phrases mentioned in section 3:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Universal Refill to Automatic Spray Dispenser Brait Moon Garden 250 ml

SECTION 16: OTHER INFORMATION (continued)

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Gas 1A: H220 - Extremely flammable gas.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Press. Gas: H280 - Contains gas under pressure, may explode if heated. Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Classification procedure:

Aquatic Chronic 3: Calculation method Aerosol 1: Calculation method

Aerosol 1: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET
Date of compilation: 16/07/2015 Revised: 22/12/2022 Version: 6.1 (Replaced 6) Page 16/16