This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Brait Magic Mist Aqua Spray Ocean Breeze

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING Product identifier: 1.1 Brait Magic Mist Aqua Spray Ocean Breeze Other means of identification: Non-applicable 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Air freshener Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: DRAMERS S A Rabowice ul. Olszynowa 38 62-020 Swarzedz - Wielkopolskie - Poland Phone: +48 61 624 55 00 - Fax: +48 61 623 18 32 msds@dramers.com.pl www.dramers.com.pl Emergency telephone number: +48 61 62 45 500 (8.00-16.00) 1.4 SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture: CLP Regulation (EC) No 1272/2008: The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008. 2.2 Label elements: CLP Regulation (EC) No 1272/2008: Hazard statements: Non-applicable **Precautionary statements:** P102: Keep out of reach of children. P233: Keep container tightly closed. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P410: Protect from sunlight. Supplementary information: EUH208: Contains Limonene. May produce an allergic reaction. 2.3 Other hazards: Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria. Results of PBT and VPVB assessment: no data available SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS 3.1 Substance: Non-applicable 3.2 Mixture: Chemical description: Mixture of substances Components: In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification		Concentration	
CAS: 64-17-5	ethanol ⁽¹⁾		Self-classified	
EC: 200-578-6 Index: 603-002-00-5 REACH: 01-2119457610-43- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger	(1) (s)	1 - <2,5 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Brait Magic Mist Aqua Spray Ocean Breeze

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification	Chemical name/Classification			
CAS: EC:	5989-27-5 227-813-5	d-limonene (Limonene)		ATP CLP00	
Index:	601-029-00-7 : 01-2119529223-47- XXXX		Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger		0,1 - <0,5 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
ethanol CAS: 64-17-5 EC: 200-578-6	% (w/w) >=50: Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Brait Magic Mist Aqua Spray Ocean Breeze

SECTION 5: FIREFIGHTING MEASURES (continued)

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

See section 8.

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
 - Minimum Temp.:5 °CMaximum Temp.:25 °CMaximum time:48 Months
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Brait Magic Mist Aqua Spray Ocean Breeze

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	950 mg/m ³	Non-applicable
d-limonene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	9,5 mg/kg	Non-applicable
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	66,7 mg/m ³	Non-applicable

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	87 mg/kg	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	206 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	114 mg/m ³	Non-applicable
d-limonene	Oral	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	16,6 mg/m ³	Non-applicable

PNEC:

Identification				
ethanol	STP	580 mg/L	Fresh water	0,96 mg/L
CAS: 64-17-5	Soil	0,63 mg/kg	Marine water	0,79 mg/L
EC: 200-578-6	Intermittent	2,75 mg/L	Sediment (Fresh water)	3,6 mg/kg
	Oral	0,38 g/kg	Sediment (Marine water)	2,9 mg/kg
d-limonene	STP	1,8 mg/L	Fresh water	0,014 mg/L
CAS: 5989-27-5	Soil	0,763 mg/kg	Marine water	0,0014 mg/L
EC: 227-813-5	Intermittent	Non-applicable	Sediment (Fresh water)	3,85 mg/kg
	Oral	0,133 g/kg	Sediment (Marine water)	0,385 mg/kg

8.2

Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Ocular and facial protection

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Brait Magic Mist Aqua Spray Ocean Breeze

	Pictogram		PPE	Labelling	CEN Standard		Remarks	
	Mandatory face protection		nic glasses against sh/projections.		EN 166:2002 EN ISO 4007:2018		daily and disinfect periodically according f facturer's instructions. Use if there is a ris splashing.	
E Body protectio		1	555	Laball's a	OFN Characterial		Describe	
	Pictogram	14/	PPE ork clothing	Labelling	CEN Standard	Popl	Remarks ace before any evidence of deterioration.	
		ore clothing	CATI		perio profes in	Add Sof prolonged exposure to the product sional/industrial users CE III is recommen accordance with the regulations in EN ISC 2013, EN ISO 6530:2005, EN ISO 13688:2 EN 464:1994.		
			ti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deteriorati periods of prolonged exposure to the prod professional/industrial users CE III is recomm in accordance with the regulations in EN 20345:2012 y EN 13832-1:2007		
F	Additional emerge			andards	Emergency meas		Standards	
		asure		SI Z358-1		ule	DIN 12 899	
	Emergency sho	ower	ISO 3864-1:2011, ISO 3864-4:202		Eyewash station	าร	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011	
	V.O.C. (Supply):	20 ºC·	2,13 9	% weight	ng characteristics:			
	V.O.C. (Supply): V.O.C. density at 2 Average carbon no Average molecula	umber:	2,13 9 21,86 2,69		-			
ΓΙΟΙ	V.O.C. density at 2 Average carbon n	umber: r weight:	2,13 9 21,86 2,69 54,31	% weight kg/m³ (21,86 g/ g/mol	-			
	V.O.C. density at 2 Average carbon n Average molecula	umber: r weight: AND CHI	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m³ (21,86 g/ g/mol PERTIES	-			
Inf Fo	V.O.C. density at 2 Average carbon no Average molecula N 9: PHYSICAL A Formation on basic r complete informat	umber: r weight: AND CHI	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m ³ (21,86 g/l g/mol PERTIES properties:	-			
Inf Foi Ap	V.O.C. density at 2 Average carbon no Average molecula N 9: PHYSICAL A Formation on basic r complete informat	umber: r weight: AND CHI c physica tion see th	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m ³ (21,86 g/l g/mol PERTIES properties: heet.	L)			
Inf For Ap Ph	V.O.C. density at 2 Average carbon no Average molecula V 9: PHYSICAL A formation on basic r complete informat opearance: ysical state at 20 °C	umber: r weight: AND CHI c physica tion see th	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m ³ (21,86 g/l g/mol PERTIES properties: heet. Liquid	L)			
Inf For Ap Ph Ap	V.O.C. density at 2 Average carbon no Average molecula N 9: PHYSICAL A Formation on basic r complete informat opearance: ysical state at 20 °C pearance:	umber: r weight: AND CHI c physica tion see th	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m³ (21,86 g/l g/mol PERTIES properties: heet. Liquid Not av	L)			
Inf For Ap Ph Ap Co	V.O.C. density at 2 Average carbon no Average molecula N 9: PHYSICAL A formation on basic r complete informat opearance: ysical state at 20 °C pearance: lour:	umber: r weight: AND CHI c physica tion see th	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m³ (21,86 g/l g/mol PERTIES properties: heet. Liquid Not av Not av	L) vailable vailable			
Inf For Ap Ph Ap Co	V.O.C. density at 2 Average carbon no Average molecula V 9: PHYSICAL A formation on basic r complete informat opearance: ysical state at 20 °C pearance: lour:	umber: r weight: AND CHI c physica tion see th	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m³ (21,86 g/l g/mol PERTIES properties: heet. Liquid Not av Not av Not av	L) vailable vailable vailable			
Inf For Ap Ph Ap Co Od	V.O.C. density at 2 Average carbon no Average molecula N 9: PHYSICAL A formation on basic r complete informat opearance: ysical state at 20 °C pearance: lour: lour: lour: lour threshold:	umber: r weight: AND CHI c physica tion see th	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m³ (21,86 g/l g/mol PERTIES properties: heet. Liquid Not av Not av Not av	L) vailable vailable			
Inf Foi Ap Ph Co Od Od	V.O.C. density at 2 Average carbon no Average molecula Average molecula 19: PHYSICAL 4 Formation on basic r complete informat opearance: ysical state at 20 °C pearance: lour: lour: lour: lour threshold: datility:	umber: r weight: AND CHI c physica tion see th	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m³ (21,86 g/l g/mol PERTIES properties: heet. Liquid Not av Not av Not av Not av	vailable vailable vailable pplicable *			
Inf Fo Ap Ph Co Od Od Od Bo	V.O.C. density at 2 Average carbon no Average molecula N 9: PHYSICAL A formation on basic r complete information opearance: ysical state at 20 °C pearance: lour: lour: lour: lour threshold: datility: illing point at atmos	umber: r weight: AND CHI c physica tion see th C: pheric pre	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m³ (21,86 g/l g/mol PERTIES properties: heet. Liquid Not av Not av Not av Not av Not av	vailable vailable vailable vailable pplicable *			
Inf Fo Ap Ph Ap Co Od Od Od Do Do Vo So Va	V.O.C. density at 2 Average carbon no Average molecula Average molecula N 9: PHYSICAL 4 Formation on basic r complete informat opearance: ysical state at 20 °C pearance: lour: lour: lour threshold: olatility: illing point at atmos pour pressure at 20	umber: r weight: AND CHI c physica tion see th C: pheric pre	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m ³ (21,86 g/l g/mol PERTIES properties: heet. Liquid Not av Not av Not av Not av Not av Not av Not av Not av Not av	vailable vailable vailable pplicable *			
Inf Foi Ap Ph Ap Co Od Od Od Od Od Vo Bo Va Va	V.O.C. density at 2 Average carbon no Average molecula N 9: PHYSICAL A formation on basic r complete informat opearance: ysical state at 20 °C pearance: lour: lour: lour: lour threshold: latility: iling point at atmos pour pressure at 20 pour pressure at 20	umber: r weight: AND CHI c physica tion see th C: pheric pre) °C:) °C:	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m ³ (21,86 g/l g/mol PERTIES properties: heet. Liquid Not av Not av Not av Not av Not av 100 °C 2381 l 12515	/ailable /ailable /ailable pplicable * C Pa 5,22 Pa (12,52 kPa)			
Inf Foi Ph Ap Co Od Od Od Od Vo Bo Va Eva	V.O.C. density at 2 Average carbon no Average molecula N 9: PHYSICAL A Formation on basic r complete information opearance: ysical state at 20 °C pearance: dour: lour: lour: lour: lour threshold: datility: illing point at atmos pour pressure at 20 pour pressure at 20 aporation rate at 20	umber: r weight: AND CHI c physica tion see th C: pheric pre) °C:) °C:) °C:	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m ³ (21,86 g/l g/mol PERTIES properties: heet. Liquid Not av Not av Not av Not av Not av 100 °C 2381 l 12515	vailable vailable vailable pplicable *			
Inf Fol Ap Ph Ap Co Od Od Od Od Od Vo Bo Va Va Eva Va	V.O.C. density at 2 Average carbon no Average molecula N 9: PHYSICAL A formation on basic r complete informat opearance: ysical state at 20 °C pearance: lour: lour: lour: lour threshold: latility: iling point at atmos pour pressure at 20 pour pressure at 20	umber: r weight: AND CHI c physica tion see th C: pheric pre) °C:) °C:) °C:	2,13 9 21,86 2,69 54,31 EMICAL PROF	% weight kg/m³ (21,86 g/l g/mol PERTIES properties: heet. Liquid Not av Not av Not av Non-a 100 °C 2381 l 12515 Non-a	/ailable /ailable /ailable pplicable * C Pa 5,22 Pa (12,52 kPa)			

*Not relevant due to the nature of the product, not providing information property of its hazards.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Brait Magic Mist Aqua Spray Ocean Breeze

SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Relative density at 20 °C:	1,027
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	225 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing informat	ion property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Precaution	Precaution	Not applicable
10.5	Incompatible materials:				
	Acids	Water	Oxidising materials	Combustible materials	Others

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Brait Magic Mist Aqua Spray Ocean Breeze

SECT	TION 10: STABILITY AND	REACTIVITY (continu	ied)					
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases			
10.6	Hazardous decomposition	products:						
	See subsection 10.3, 10.4 ar complex mixtures of chemica	nd 10.5 to find out the spe al substances can be rele	ecific decomposition produc ased: carbon dioxide (CO2)	ts. Depending on the de , carbon monoxide and o	ecomposition conditions, other organic compounds.			
SEC1	TION 11: TOXICOLOGICA	L INFORMATION						
11.1	Information on hazard classes as defined in Regulation (EC) No 1272/2008:							
	The experimental information	n related to the toxicologi	cal properties of the produc	t itself is not available				
	Dangerous health implicat	ions:						
	In case of exposure that is re adverse effects on health ma A- Ingestion (acute effect):			the recommended occup	pational exposure limits,			
	dangerous for consumpti - Corrosivity/Irritability: classified as dangerous f	on. For more information Based on available data,	the classification criteria are					
	B- Inhalation (acute effect):							
	dangerous for inhalation.	For more information se Based on available data,	the classification criteria are		in substances classified as contain substances classified			
	C- Contact with the skin and	the eyes (acute effect):						
	as dangerous for skin co	ntact. For more information Based on available data	on see section 3. , the classification criteria a		ontains substances classified does contain substances			
	D- CMR effects (carcinogen	icity, mutagenicity and to	xicity to reproduction):					
	dangerous for the effects IARC: ethanol (1); Euge - Mutagenicity: Based o dangerous for this effect.	mentioned. For more inf enol (3); d-limonene (3) n available data, the clas For more information se Based on available data,	ormation see section 3. sification criteria are not me e section 3. the classification criteria ar	et, as it does not contain	in substances classified as substances classified as contain substances classified			
	E- Sensitizing effects:							
	dangerous with sensitisin	g effects. For more inforr available data, the classi	fication criteria are not met.					
	F- Specific target organ toxi	city (STOT) - single expo	sure:					
	Based on available data, effect. For more informat		are not met, as it does not	contain substances class	ified as dangerous for this			
	G- Specific target organ toxi		oosure:					
	does not contain substar	ices classified as dangero ble data, the classification		information see section				
	H- Aspiration hazard:							
	this effect. For more info		are not met. However, it de	pes contain substances o	classified as dangerous for			
	Other information:							
	Non-applicable							
	Specific toxicology informa	ation on the substances	:					
		- CON	TINUED ON NEXT PAGE -					

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Brait Magic Mist Aqua Spray Ocean Breeze

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	A	Acute toxicity		
ethanol	LD50 oral	6200 mg/kg	Rat	
CAS: 64-17-5	LD50 dermal	20000 mg/kg	Rabbit	
EC: 200-578-6	LC50 inhalation	124,7 mg/L (4 h)	Rat	
d-limonene	LD50 oral	4400 mg/kg	Rat	
CAS: 5989-27-5	LD50 dermal	>5000 mg/kg	Rabbit	
EC: 227-813-5	LC50 inhalation	>20 mg/L		

Acute Toxicity Estimate (ATE mix):

	ATE mix	
Oral	Oral >2000 mg/kg (Calculation method)	
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-578-6	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae
d-limonene	LC50	>0.1 - 1 (96 h)		Fish
CAS: 5989-27-5	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 227-813-5	EC50	>0.1 - 1 (72 h)		Algae
Chronic toxicity:				
Identification		Concentration	Species	Genus
ethanol	NOEC	250 mg/L	Danio rerio	Fish
CAS: 64-17-5 EC: 200-578-6	NOEC	2 mg/L	Ceriodaphnia dubia	Crustacear

12.2 Persistence and degradability:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Brait Magic Mist Aqua Spray Ocean Breeze

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Deg	radability	Biodegradability	
ethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 64-17-5	COD	Non-applicable	Period	14 days
EC: 200-578-6	BOD5/COD	Non-applicable	% Biodegradable	89 %
d-limonene	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 5989-27-5	COD	Non-applicable	Period	28 days
EC: 227-813-5	BOD5/COD	Non-applicable	% Biodegradable	71,4 %

12.3 Bioaccumulative potential:

Identification	Bioa	Bioaccumulation potential	
ethanol	BCF	3	
CAS: 64-17-5	Pow Log	-0.31	
EC: 200-578-6	Potential	Low	
d-limonene	BCF		
CAS: 5989-27-5	Pow Log	4.83	
EC: 227-813-5	Potential		

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
ethanol	Кос	1	Henry	4,61E-1 Pa·m³/mol
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes
EC: 200-578-6	Surface tension	2,339E-2 N/m (25 °C)	Moist soil	Yes
d-limonene	Кос	6324	Henry	2533,13 Pa·m³/mol
CAS: 5989-27-5	Conclusion	Immobile	Dry soil	Yes
EC: 227-813-5	Surface tension	2,675E-2 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 99	wastes not otherwise specified	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Brait Magic Mist Aqua Spray Ocean Breeze

ECTION 14: T	RANSPORT INFORMATION (continued)
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	Tunnel restriction code:	Non-applicable
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transpor	t of dangerous goods by sea:	
With rega	rd to IMDG 39-18:	
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Marine pollutant:	No
14.6	Special precautions for user	
	Special regulations: EmS Codes:	Non-applicable
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
	Segregation group:	Non-applicable
14.7		Non-applicable
Transpor	t of dangerous goods by air:	
With rega	rd to IATA/ICAO 2021:	
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Physico-Chemical properties:	see section 9
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains ethanol, 2-phenoxyethanol, 2-n-butyl-benzo[d]isothiazol-3-one, N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine, L-(+)-lactic acid. Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: ethanol (Product-type 1, 2, 4, 6) ; 2-phenoxyethanol (Product-type 1, 2, 4, 6, 13) ; N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Product-type 2, 3, 4, 6, 8, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Brait Magic Mist Aqua Spray Ocean Breeze

SECTION 15: REGULATORY INFORMATION (continued)

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc): Non-applicable

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction.

Classification procedure:

Non-applicable

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

- IMDG: International maritime dangerous goods code
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation
- COD: Chemical Oxygen Demand
- BOD5: 5day biochemical oxygen demand
- BCF: Bioconcentration factor
- LD50: Lethal Dose 50 LC50: Lethal Concentration 50
- EC50: Effective concentration 50
- LogPOW: Octanolwater partition coefficient
- Koc: Partition coefficient of organic carbon
- UFI: unique formula identifier
- IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.